


Book Return



CONSTRUCTION

- Cabinet constructed of 1" particleboard with thermally fused melamine surface on both sides
- Cart constructed of 3/4" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- · Hardened plastic cart handle
- Steel leg frames with black powder coat finish
- 3" black heavy-duty locking casters

FINISHES



WARRANTY


10 Year Limited

CERTIFICATIONS

UL Greenguard Gold certified


DIMENSIONS

Model #	Width	Depth	Height
371309	23.6"	29.7"	30"





Corner Station



CONSTRUCTION

- Constructed of 1" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Six adjustable shelves
- 3" black heavy-duty locking casters

FINISHES



WARRANTY


10 Year Limited

CERTIFICATIONS

UL Greenguard Gold certified


DIMENSIONS

Model #	Width	Depth	Height
371311	42"	42"	30"





Sitting Desk



CONSTRUCTION

- Constructed of 1" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Steel leg frames with black powder coat finish
- · Grommet for cord management
- 3" black heavy-duty locking casters

FINISHES



WARRANTY


10 Year Limited


CERTIFICATIONS


UL Greenguard Gold certified

DIMENSIONS

Model #	Width	Depth	Height
371312	47.6"	29.7"	30"










Standing Desk



CONSTRUCTION

- Constructed of 1" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Steel leg frames with black powder coat finish
- · Grommet for cord management
- 3" black heavy-duty locking casters

FINISHES



WARRANTY


10 Year Limited

CERTIFICATIONS

UL Greenguard Gold certified


DIMENSIONS

Model#	Width	Depth	Height
371310	47.6"	29.7"	40"





Storage Station (with Hutch)



CONSTRUCTION

- Constructed of 1" particleboard with thermally fused melamine surface on both sides
- · Thermally fused 3mm PVC edge banding
- Grommet for cord management
- Steel leg frames with black powder coat finish
- European door hinges
- Hardened plastic door handles
- 3" black heavy-duty locking casters

FINISHES



WARRANTY


10 Year Limited


CERTIFICATIONS

UL Greenguard Gold certified

DIMENSIONS


Model#	Width	Depth	Height
371307	47.6"	29.7"	40"







Storage Station



CONSTRUCTION

- Constructed of 1" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Grommet for cord management
- Steel leg frames with black powder coat finish
- European door hinges
- Hardened plastic door handles
- 3" black heavy-duty locking casters

FINISHES



WARRANTY

10 Year Limited

CERTIFICATIONS

UL Greenguard Gold certified

DIMENSIONS

Model#	Width	Depth	Height
371308	47.6"	29.7"	30"

