

### CONSTRUCTION


- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Steel leg frame with black or gray powder coat finish
- Lever-activated pneumatic air cylinder raises or lowers desk from 28" to 42" tabletop heights
- Integrated magnets provide secure connection of podium to either side of the desk
- 2-1/2" locking swivel casters for easy mobility

### FINISHES


#### LAMINATES Available with matching or colored edge band



#### DRY ERASE LAMINATES Available with colored edge band



#### OPTIONAL EDGE BAND COLORS



#### METAL FRAME OPTIONS



### DIMENSIONS

Model #	Width	Depth	Height
371306	60"	30"	28"-42"

### WEIGHT CAPACITY

Max load at fixed position (Static Load) = 145 lbs.




Max load for gas lift operation (Dynamic Load) = 30 lbs.

### WARRANTY


10 Year Limited

### CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified



This specification information is provided for general reference only and is subject to change without notice. While every effort has been made to ensure accuracy, Marco makes no warranties, express or implied, regarding the completeness or correctness of the details presented. Users should always verify specifications with the latest product documentation before making any purchasing decisions.






### CONSTRUCTION

- Constructed of ¾" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- 1 file drawer and 1 box drawer
- Hardened plastic drawer handles
- 2-½" locking swivel casters for easy mobility

### DIMENSIONS

Model #	Width	Depth	Height
371708	16"	21.5"	24.3"



### FINISHES

#### LAMINATES



#### PLASTIC DOOR HANDLE COLORS




### WARRANTY

10 Year Limited

### CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified

This specification information is provided for general reference only and is subject to change without notice. While every effort has been made to ensure accuracy, Marco makes no warranties, express or implied, regarding the completeness or correctness of the details presented. Users should always verify specifications with the latest product documentation before making any purchasing decisions.



## CONSTRUCTION

- Constructed of ¾" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- European style door hinges
- Hardened plastic door handles

## FINISHES

### LAMINATES






### PLASTIC DOOR HANDLE COLORS



## DIMENSIONS

Model #	Width	Depth	Height
371709	24"	10"	14"




## WARRANTY

10 Year Limited

## CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified

This specification information is provided for general reference only and is subject to change without notice. While every effort has been made to ensure accuracy, Marco makes no warranties, express or implied, regarding the completeness or correctness of the details presented. Users should always verify specifications with the latest product documentation before making any purchasing decisions.



### CONSTRUCTION

- Constructed of ¾" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- 1 file drawer and 2 box drawers
- Hardened plastic drawer handles
- 2-½" locking swivel casters for easy mobility

### FINISHES

#### LAMINATES



#### PLASTIC DOOR HANDLE COLORS



**Note:** To fit 3-drawer cabinet under the pneumatic desk, the desk height must be 31.5" or higher.

### WARRANTY




10 Year Limited

### CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified

### DIMENSIONS

Model #	Width	Depth	Height
371710	16"	21.5"	28"



This specification information is provided for general reference only and is subject to change without notice. While every effort has been made to ensure accuracy, Marco makes no warranties, express or implied, regarding the completeness or correctness of the details presented. Users should always verify specifications with the latest product documentation before making any purchasing decisions.




# MARCO™

## Specification Sheet

# CUE™ COLLECTION

## Pneumatic Podium



### CONSTRUCTION


- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Steel leg frame with black or gray powder coat finish
- Lever-activated pneumatic air cylinder raises or lowers podium from 28" to 42" tabletop heights
- Integrated magnets provide secure connection of podium to either side of the desk
- 2-1/2" locking swivel casters for easy mobility

### FINISHES


**LAMINATES** Available with matching or colored edge band



**DRY ERASE LAMINATES** Available with colored edge band



### OPTIONAL EDGE BAND COLORS



### METAL FRAME OPTIONS



### DIMENSIONS

Model #	Width	Depth	Height
372104	30"	19.5"	28"-42"

### WEIGHT CAPACITY

Max load at fixed position (Static Load) = 90 lbs.



Max load for gas lift operation (Dynamic Load) = 17 lbs.

### WARRANTY

10 Year Limited

### CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified



This specification information is provided for general reference only and is subject to change without notice. While every effort has been made to ensure accuracy, Marco makes no warranties, express or implied, regarding the completeness or correctness of the details presented. Users should always verify specifications with the latest product documentation before making any purchasing decisions.