



### CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Base constructed of 3/4" particleboard with thermally fused melamine surface on both sides
- Engineering grade ABS plastic trays and guides

#### Doors Include:

- 5 knuckle institutional door hinges
- Keyed door lock
- Hardened plastic door handles






### FINISHES

#### WORKSURFACE/ BASE LAMINATES








Most available with matching edge band.

	Fusion Maple		Pewter Mesh		New Age Oak
	High Rise		Solar Oak		Asian Night
	Weathered Teak		Wild Cherry		Boardwalk Oak
	Gray Nebula	Gray Nebula not available with matching edgeband or as a base laminate.			










#### ADDITIONAL (BASE ONLY) LAMINATES

	Wild Apple		Brighton Walnut		London Gray
	Storm Gray		Black		

#### DRY ERASE LAMINATES Available with color edge band.




	Glacier White		Insidip		Mirage
	Evergreen Mist		Ocean		Tsunami
	HPL White Dry Erase				

#### OPTIONAL EDGE BAND COLORS

	Black		Blue		Red
	Gray		Apple		Orange
	Navy		Blueberry		Purple

### DIMENSIONS

Model #	Width	Depth	Height
37-1304L-31	60"	30"	29.5"



### WARRANTY

10 Year Limited

### CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified

This specification information is provided for general reference only and is subject to change without notice. While every effort has been made to ensure accuracy, Marco makes no warranties, express or implied, regarding the completeness or correctness of the details presented. Users should always verify specifications with the latest product documentation before making any purchasing decisions.



### CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Base constructed of 3/4" particleboard with thermally fused melamine surface on both sides
- Engineering grade ABS plastic trays and guides

#### Doors Include:

- 5 knuckle institutional door hinges
- Keyed door lock
- Hardened plastic door handles






### FINISHES

#### WORKSURFACE/ BASE LAMINATES








Most available with matching edge band.

	Fusion Maple		Pewter Mesh		New Age Oak
	High Rise		Solar Oak		Asian Night
	Weathered Teak		Wild Cherry		Boardwalk Oak
	Gray Nebula	Gray Nebula not available with matching edgeband or as a base laminate.			










#### ADDITIONAL (BASE ONLY) LAMINATES

	Wild Apple		Brighton Walnut		London Gray
	Storm Gray		Black		

#### DRY ERASE LAMINATES Available with color edge band.




	Glacier White		Inspid		Mirage
	Evergreen Mist		Ocean		Tsunami
	HPL White Dry Erase				

#### OPTIONAL EDGE BAND COLORS

	Black		Blue		Red
	Gray		Apple		Orange
	Navy		Blueberry		Purple

### DIMENSIONS

Model #	Width	Depth	Height
37-1304R-31	60"	30"	29.5"



### WARRANTY

10 Year Limited

### CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified

This specification information is provided for general reference only and is subject to change without notice. While every effort has been made to ensure accuracy, Marco makes no warranties, express or implied, regarding the completeness or correctness of the details presented. Users should always verify specifications with the latest product documentation before making any purchasing decisions.



### CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Base constructed of 3/4" particleboard with thermally fused melamine surface on both sides
- Engineering grade ABS plastic trays and guides

#### Doors Include:

- 5 knuckle institutional door hinges
- Keyed door lock
- Hardened plastic door handles


### FINISHES

#### WORKSURFACE/ BASE LAMINATES


Most available with matching edge band.




#### ADDITIONAL (BASE ONLY) LAMINATES



#### DRY ERASE LAMINATES Available with color edge band.






#### OPTIONAL EDGE BAND COLORS



### DIMENSIONS

Model #	Width	Depth	Height
37-1305-31	60"	30"	29.5"



### WARRANTY

10 Year Limited

### CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified

This specification information is provided for general reference only and is subject to change without notice. While every effort has been made to ensure accuracy, Marco makes no warranties, express or implied, regarding the completeness or correctness of the details presented. Users should always verify specifications with the latest product documentation before making any purchasing decisions.