

Oval A-Base (72"x 48")



CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Metal A-base constructed of square steel tubing with black or gray powder coat finish


FINISHES

WORKSURFACE LAMINATES


Available with matching edge band except Gray Nebula.







OPTIONAL EDGE BAND COLORS




METAL LEG OPTIONS



DIMENSIONS

Model#	Shape	Width	Depth	Height
42A30830	Oval	72"	48"	30"



WARRANTY


10 Year Limited

CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified



Oval H-Base (72"x 48")



CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Base constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides

FINISHES

WORKSURFACE/BASE LAMINATES

Most available with matching edge band.




ADDITIONAL (BASE ONLY) LAMINATES



DRY ERASE LAMINATES Available with color edge band.




OPTIONAL EDGE BAND COLORS



DIMENSIONS

Model#	Shape	Width	Depth	Height
42A30630	Oval	72"	48"	30"



WARRANTY


10 Year Limited

CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified



Oval H-Base (80"x 60")



CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Base constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides

FINISHES

WORKSURFACE/BASE LAMINATES

Most available with matching edge band



ADDITIONAL (BASE ONLY) LAMINATES




DRY ERASE LAMINATES Available with color edge band.




OPTIONAL EDGE BAND COLORS

Dry Erase



DIMENSIONS

Model#	Shape	Width	Depth	Height
42A40630	Oval	80"	60"	30"



WARRANTY


10 Year Limited

CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified



Oval T-Base (72"x 48")



CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Metal T-base constructed of square steel tubing with black or gray powder coat finish


FINISHES

WORKSURFACE LAMINATES


Available with matching edge band except Gray Nebula.








OPTIONAL EDGE BAND COLORS




METAL LEG OPTIONS



DIMENSIONS

Model#	Shape	Width	Depth	Height
42A30730	Oval	72"	48"	30"



WARRANTY


10 Year Limited

CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified



Rectangle A-Base (72"x 48")



CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Metal A-base constructed of square steel tubing with black or gray powder coat finish


FINISHES

WORKSURFACE LAMINATES

Available with matching edge band except Gray Nebula.








OPTIONAL EDGE BAND COLORS




METAL LEG OPTIONS



DIMENSIONS

Model#	Shape	Width	Depth	Height
42A10830	Rectangle	72"	48"	30"



WARRANTY


10 Year Limited

CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified



Rectangle H-Base (72"x 48")



CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Base constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides

FINISHES

WORKSURFACE/BASE LAMINATES

Most available with matching edge band



ADDITIONAL (BASE ONLY) LAMINATES




DRY ERASE LAMINATES Available with color edge band.




OPTIONAL EDGE BAND COLORS

Dry Erase



DIMENSIONS

Model#	Shape	Width	Depth	Height
42A10630	Rectangle	72"	48"	30"



WARRANTY


10 Year Limited

CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified



Rectangle H-Base (80"x 60")



CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Base constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides

FINISHES

WORKSURFACE/BASE LAMINATES


Most available with matching edge band.



ADDITIONAL (BASE ONLY) LAMINATES



DRY ERASE LAMINATES Available with color edge band.





OPTIONAL EDGE BAND COLORS




DIMENSIONS

Model#	Shape	Width	Depth	Height
42A20630	Rectangle	80"	60"	30"







WARRANTY


10 Year Limited

CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified



Rectangle T-Base (72"x 48")



CONSTRUCTION

- Top constructed of 1-1/8" particleboard with thermally fused melamine surface on both sides
- Thermally fused 3mm PVC edge banding
- Metal T-base constructed of square steel tubing with black or gray powder coat finish

FINISHES

WORKSURFACE LAMINATES


Available with matching edge band except Gray Nebula.








OPTIONAL EDGE BAND COLORS




METAL LEG OPTIONS



DIMENSIONS

Model#	Shape	Width	Depth	Height
42A10730	Rectangle	72"	48"	30"



WARRANTY

10 Year Limited

CERTIFICATIONS

Worksurfaces are UL Greenguard Gold certified